

**DULUX TRADE PAINT
SOLIDIFIER****818/819/820****PRODUCT INFORMATION****Typical Use**

Dulux Trade Paint Solidifier is a revolutionary waste management product which has been designed to enable you to dispose of unwanted water-based paint safely and responsibly. Once the paint has been treated, you can then dispose of the solid waste paint via your normal waste stream alongside other normal construction waste, leaving you with a can clean enough to recycle.

Please read the full instructions in the lid label and the safety datasheet before attempting to use the product.

Please read the Health, Safety & Environmental information on pages 2&3 before use.

**Codes according to the
List of Wastes
Regulations****DULUX TRADE ENVIRO-PRIME PART A**

Product as supplied: Assigned as hazardous waste code 19 02 11* Other wastes containing dangerous substances.

Part-used containers, containing dried residues of the supplied product: Not Applicable.

Used containers, rigorously scraped out and containing dried residues of the supplied product: Assigned as non-hazardous waste code 15 01 02 plastic packaging OR non-hazardous waste code 15 01 04 metal packaging.

"Rigorously scraped out" means removing the maximum amount of product from the container by physical or mechanical means (draining or scraping) to leave a residue or contamination that cannot be removed by such means.

These codes have been assigned based on the actual composition of the product both as supplied and as dried residues. If mixed with other wastes, the waste codes quoted may not be applicable.

DULUX TRADE ENVIRO-PRIME PART B

Product as supplied: Assigned as hazardous waste code 08 01 11* waste paint and varnish containing organic solvents or other dangerous substances.

Part-used containers, containing dried residues of the supplied product: Assigned as hazardous waste code 08 01 11* waste paint and varnish containing organic solvents or other dangerous substances.

Used containers, rigorously scraped out and containing dried residues of the supplied product: Assigned as hazardous waste code 15 01 10* packaging containing residues of or contaminated by dangerous substances.

"Rigorously scraped out" means removing the maximum amount of product from the container by physical or mechanical means (draining or scraping) to leave a residue or contamination that cannot be removed by such means.

These codes have been assigned based on the actual composition of the product both as supplied and as dried residues. If mixed with other wastes, the waste codes quoted may not be applicable.

DULUX TRADE ENVIRO-PRIME PART A

Product as supplied: Assigned as hazardous waste code 19 02 11* Other wastes containing dangerous substances.

Part-used containers, containing dried residues of the supplied product: Not Applicable.

Used containers, rigorously scraped out and containing dried residues of the supplied product: Assigned as non-hazardous waste code 15 01 02 plastic packaging OR non-hazardous waste code 15 01 04 metal packaging.

"Rigorously scraped out" means removing the maximum amount of product from the container by physical or mechanical means (draining or scraping) to leave a residue or contamination that cannot be removed by such means.

These codes have been assigned based on the actual composition of the product both as supplied and as dried residues. If mixed with other wastes, the waste codes quoted may not be applicable.

DULUX TRADE PAINT SOLIDIFIER

Product as supplied: Assigned as hazardous waste code 19 02 11* Other wastes containing dangerous substances.

Part-used containers, containing dried residues of the supplied product: Not Applicable.

Used containers, rigorously scraped out and containing dried residues of the supplied product: Assigned as non-hazardous waste code 15 01 02 plastic packaging OR non-hazardous waste code 15 01 04 metal packaging.

DULUX TRADE PAINT SOLIDIFIER

818/819/820

"Rigorously scraped out" means removing the maximum amount of product from the container by physical or mechanical means (draining or scraping) to leave a residue or contamination that cannot be removed by such means.

These codes have been assigned based on the actual composition of the product both as supplied and as dried residues. If mixed with other wastes, the waste codes quoted may not be applicable.

Pack Size	500ml.	
Colour Range	N/A	
Composition (nominal)	Pigment:	N/A
	Binder:	N/A
	Solvent:	N/A
Volume Solids	N/A	

Application Method
To use, first estimate the amount of paint you have left in the can. Use one dose of the **Dulux Trade** Paint Solidifier per 500ml of left over paint. Pour the product into the paint slowly (avoids dust clouds) then stir thoroughly with a palette knife or similar implement. In most cases the waste paint will become a moist crumb in 2-3 mins although some paints may only form a thick paste. Ideally, pour the waste on to a suitable rag or paper lined area and allow the coagulated paint & can to dry for 3-4 hrs. For best results allow to dry overnight.

Please Note:

Due to the high number of different paint product of various ages and manufacture that might be encountered, we can not guarantee that every product/colour/age has been assessed for coagulation by **Dulux Trade** Paint Solidifier However, we have tested all the major **Dulux Trade** Paints used today.

Cleaning Up
Dispose of the waste and recycle can.
Do not use or store in extremes of temperature.

HEALTH, SAFETY & ENVIRONMENTAL INFORMATION

Dulux Trade Enviro-Prime Part A
WATER TREATMENT PRODUCT

Irritating to eyes.

Avoid contact with skin and eyes.

When using it is advisable to wear eye protection.

In case of contact with eyes, rinse immediately with plenty of water and seek medical advice.

After contact with skin, wash immediately with plenty of soap and water or a proprietary skin cleanser. Do not use solvent, thinners or white spirit.

Keep out of the reach of children.

If swallowed, seek medical advice immediately and show this container or label.

If swallowed, rinse mouth with water (Only if the person is conscious).

Before use refer to the safety data sheet.

Avoid the inhalation of dust.



IRRITANT

Dulux Trade Enviro-Treat Part B
WATER TREATMENT PRODUCT

Risk of serious damage to eyes.

Irritating to skin.

Avoid contact with skin and eyes.

Wear suitable protective clothing and eye/face protection.

In case of contact with eyes, rinse immediately with plenty of water and seek medical advice.

After contact with skin, wash immediately with plenty of soap and water or a proprietary skin cleanser. Do not use solvent, thinners or white spirit.

Keep out of the reach of children.

If swallowed, seek medical advice immediately and show this container or label.

If swallowed, rinse mouth with water (Only if the person is conscious).

Before use refer to the safety data sheet.

Avoid the inhalation of dust.



IRRITANT

DULUX TRADE PAINT SOLIDIFIER

818/819/820

Dulux Trade Paint Solidifier

WATER TREATMENT PRODUCT

Risk of serious damage to eyes.

Irritating to skin.

Avoid contact with skin and eyes.

Wear suitable protective clothing and eye/face protection.

In case of contact with eyes, rinse immediately with plenty of water and seek medical advice.

After contact with skin, wash immediately with plenty of soap and water or a proprietary skin cleanser. Do not use solvent, thinners or white spirit.

Keep out of the reach of children.

If swallowed, seek medical advice immediately and show this container or label.

If swallowed, rinse mouth with water (Only if the person is conscious).

Before use refer to the safety data sheet.

Avoid the inhalation of dust.



IRRITANT

For further advice contact ICI Paints Technical Group, at ICI Paints/AkzoNobel, Wexham Road, Slough SL2 5DS.

Tel: 08444 817 818

See www.duluxtrade.co.uk

The ICI Roundel, Dulux Trade, Ecosure, Glidden and the distinctive livery are trademarks of AkzoNobel.

© AkzoNobel 2010 (05112010IT SDS818/818/820)